

客 户
CUSTOMER

承 认 书

SPECIFICATION FOR APPROVAL

客 户 编 号
CUSTOMER PART NO: _____

品 名 编 号
DESCRIPTION NO. _____ T25354

提 出 日 期
PRESENT DAY : _____ 2013-7-6

出 图 DRAWING			客户承认 CUSTOMER APPROVE
发 行 MADE	检 查 CHECKED	承 认 APPROVED	
Dence	Boby	Henry	
DATE: 2013.7.6			DATE:

深圳市铨顺宏科技有限公司

Fuwit Technology Co(SHENZHEN),, Ltd.

表单编号: ST-R03-10


UHF RFID Reader Microstrip Ceramics Antenna

PRODUCT SPECIFICATION

T25354

➤ FEATURES

- UHF RFID Reader Circular Polarization Antenna
- Microstrip ceramics Antenna with RHCP
- Small antenna element
- Low Weight, Compact Size
- Low interaction with platform
- Negligible detuning close to users
- Easy application and Save development time



➤ SPECIFICATIONS

● Electrical Specifications

1	Antenna model	25*25*4mm
2	Operating Frequency (MHz)	922.5MHz±2MHz
3	V.S.W.R	1.5:1
4	Type	Microstrip ceramics antenna
5	Band Width(MHz)	>4.0
6	Peak Gain(dBic)	0
7	Polarization	RHCP
8	Axial Ratio(db)	<2.0

● Testing Conditions


1	Working Temp	-20℃-+65℃
2	Storage Temp	-40℃-+85℃
3	Vibration	Sine sweep 1g(0-p)
		10-50-10Hz each axis

UHF RFID Reader Microstrip Ceramics Antenna

PRODUCT SPECIFICATION

T25354

➤ DIMENSIONS



Unit:MM

Notes



Electrostatic sensitive device, Observe precautions for handling.