

客 户
CUSTOMER _____

承 认 书

SPECIFICATION FOR APPROVAL

客 户 编 号

CUSTOMER PART NO: _____

品 名 编 号

DESCRIPTION NO. _____ T36404

提 出 日 期

PRESENT DAY : _____ 2013-7-6

| 出 图 DRAWING | | | 客户承认 CUSTOMER APPROVE |
|----------------|----------------|-----------------|--------------------------|
| 发 行 MADE | 检 查 CHECKED | 承 认 APPROVED | |
| Dence | Boby | Henry | |
| DATE: 2013.7.6 | | | DATE: |

深圳市铨顺宏科技有限公司

Fuwit Technology Co(SHENZHEN),, Ltd.

表单编号: ST-R03-10


UHF RFID Reader Microstrip Ceramics Antenna

PRODUCT SPECIFICATION

T36404

➤ FEATURES

- UHF RFID Reader Circular Polarization Antenna
- Microstrip ceramics Antenna with RHCP
- Small antenna element
- Low Weight, Compact Size
- Low interaction with platform
- Negligible detuning close to users
- Easy application and Save development time



➤ SPECIFICATIONS


| | | |
|---|---------------------------|-----------------------------|
| 1 | Antenna model | 36*36*4mm |
| 2 | Operating Frequency (MHz) | 922.5MHz±2MHz |
| 3 | V.S.W.R | 1.5:1 |
| 4 | Type | Microstrip ceramics antenna |
| 5 | Band Width(MHz) | >4.0 |
| 6 | Peak Gain(dBic) | 1 |
| 7 | Polarization | RHCP |
| 8 | Axial Ratio(db) | <2.0 |

UHF RFID Reader Microstrip Ceramics Antenna

PRODUCT SPECIFICATION

T36404

➤ DIMENSIONS



Notes

Electrostatic sensitive device, Observe precautions for handling.

